

# DELETE

## /v2/core/accommodation/delete

### Core Accommodation Delete

هدفتسا متسیس زا (Hotel / Accommodation) هاگتماقا کی لماک فذح یارب تنیوپدنا نی ا Media یوریزاسکاپ لمع چیه و دنکیم کاپ ار `hotels` لودج یلصا دروکر طقف فذح تایلمع .دوشیم لاسرا `snailJob` فص هب هقیقد ۱۰ ریخأت اب SystemLog کی ، فذح زا سپ .دهدیم نماجنا Mapping ای .دوشیم

## Request Overview

**URL:** `/v2/core/accommodation/delete`

**Method:** DELETE

**Controller:** CoreController@deleteAccommodation

**Middleware Stack:** authWithJwt → core

## Access Control

- JWT ربتعم (authWithJwt)
- تروص رد طقف یسرتسد هزاجا `operator.branch == "[0]"` (middleware: core)

## Request Parameters

Field	Type	Required	Description
id	integer	yes	فذح یارب هاگتماقا ID

.دوش لاسرا (تساوخرد راتخاس هب هتسب) BodyParam ای QueryParam تروص هب دیاب `id` رتماراپ

# Delete Logic

- لودج زا هاگت ماقا یل صا دروکر فذح `hotels`
- یور یزاس کاپ ت ای لمع هن وگچیه:
  - Media (ی رلاگ، وگول)
  - mapping\_accommodations
  - Redis ای Cache
- دوشی من ماجنا
- دوشی م لاسرا فص هب و تبت `DeleteAccommodation` عون اب SystemLog کی، فذح زا سپ

## SystemLog Payload

```
{
  "type": "DeleteAccommodation",
  "data": null,
  "goal": ,
  "by": operator.id,
  "agent": HTTP_USER_AGENT,
  "ip": client_ip,
  "datetime": now()
}
```

## Response (Success)

```
{
  "status": true,
  "time": 1710000000,
  "message": "1402 | Accommodation deleted!"
}
```

## Response (Error)

```
{
  "status": false,
  "code": "1003",
  "message": "(Exception message)",
  "trace": [...]
}
```

# Flowchart

AuthWithJWT → Validate Token

↓

Core Access Check → operator.branch == "[0]"

↓

Read id From Request

↓

DELETE FROM hotels WHERE id = ?

↓

Dispatch SystemLog(DeleteAccommodation) + delay(10m)

↓

Return Success JSON

---

Revision #1

Created 2025-12-03 17:16:17 UTC by Alireza

Updated 2025-12-03 17:20:11 UTC by Alireza