

GET /v2/charter/flight-rate

Charter: Get Approved Flight Rate

لودج ساسا رب ار هاگدورف ود نایم (Approved Flight Rate) بوصم خرن تنیو پدنا نی ا
ار **origin** → **destination** ریس م اقیقد ادتبا متسیس. دنکی م یبایزاب `approved_flight_rate`
تروص رد. دنکی م یسررب زین ار **destination** → **origin** ریس م، دوبن تروص رد و دنکی م وحتسج
دوشیم هدنادرگرب (0) ضرفشی پ یاهرادقم اب یجورخ، دروکر نتفای ن

Request Overview

URL: `/v2/charter/flight-rate`

Method: GET

Controller: CharterController@getApprovedFlightRate

Middleware: authWithJwt

Access Control

- ربتعم JWT اب طقف یسرتسد
- درادن دوجو و `core middleware` ای شقن، `branch` طرش چیه
- دنوشیم هدناوخ Query Params زامیقتسم اهیدورو

Query Parameters

Parameter	Type	Required	Description
origin	integer	yes	ادبم هاگدورف ID
destination	integer	yes	دصقم هاگدورف ID

Database Table Reference

دوشی م هداو خ ریز لودج زا بوصم یاه خرن تا اعالطا:

Column	Type	Description
id	integer	Primary Key
origin	integer	ادبم هاگ دورف ID
destination	integer	دصقم هاگ دورف ID
least	integer	بوصم خرن نی رت مک
most	integer	بوصم خرن نی رت شیب
updated_at	datetime	خرن ی ناسر زورب نی رخآ نامز

Core Processing Logic

```
$result = DB::table('approved_flight_rate')
->where(function ($q) use ($request) {
    $q->where('origin', $request->get('origin'))
    ->where('destination', $request->get('destination'));
})
->orWhere(function ($q) use ($request) {
    $q->where('origin', $request->get('destination'))
    ->where('destination', $request->get('origin'));
})
->first();
```

- دوشی م وحتسج origin → destination یارب exact-match دروکر ادتبا
- دوشی م یسررب origin → destination سوک عم ریسم ،دوج و مدع تروص رد
- دوشی م هداد تشگرب least/most ی عقاو ری داوم :دوش تفای دروکر رگا
- دوشن تفای رگا : least = 0 و most = 0 و updated_at = now()

Response (Success — Found)

دشاب دوجوم لودج رد ی عقاو دروکر هک ی تروص رد:

```
{
  "status": true,
  "time": 1710000000,
  "data": {
    "origin": 1,
    "destination": 2,
```

```
"least": 850000,  
"most": 1350000,  
"updated_at": "2024-09-12 16:40:55"  
}  
}
```

Response (Success — Not Found)

دشابه شدن ثبت ریسرچ نیایاربی تی رگا:

```
{  
  "status": true,  
  "time": 1710000000,  
  "data": {  
    "origin": 1,  
    "destination": 2,  
    "least": 0,  
    "most": 0,  
    "updated_at": "2025-02-12 14:10:21"  
  }  
}
```

Response (Error)

Exception: زورب تروص رد

```
{  
  "status": false,  
  "time": 1710000000,  
  "message": "SQLSTATE[HY000]: ...",  
  "trace": [ ... ]  
}
```

Flowchart

Validate JWT

↓

Read Query Params: origin, destination

↓

DB Query: origin → destination

↓

If not found → DB Query: destination → origin

↓

Record Found?

↓

Yes → Return real least/most

No → Return least=0, most=0, now()

↓

Return JSON (status=true)

Revision #1

Created 2025-12-05 19:08:54 UTC by Alireza

Updated 2025-12-05 19:09:59 UTC by Alireza